

ORG 8394



January 28, 2013

David Strickland  
Administrator  
National Highway Traffic Safety Administration  
1200 New Jersey Avenue, SE  
Washington, D.C. 20590  
Attention: VIN Coordinator

**Subject: 49 CFR Part 565 – Updated 2013 Model Year Vehicle Identification Number Codes**

Dear Administrator Strickland:

Pursuant to the requirements set forth in Part 565 of Title 49 of the Code of Federal Regulations, Vehicle Identification Number (VIN) Requirements, Jaguar Land Rover North America, LLC is updating our previous submissions to provide 2013 model year VIN code information for Jaguar Land Rover products.

Please contact me at (201)-818-8425 or [jpatters@jaguarlandrover.com](mailto:jpatters@jaguarlandrover.com) with any questions.

Sincerely,

James C. Patterson  
Safety Compliance Engineer  
Jaguar Land Rover North America, LLC

Attachments (8)

# 2013 Jaguar XF

World Manufacturer Identifier (WMI)			Restraint Description Market	Transmission / Drive	Make, Car Line, Body Type		Engine Displacement, Cylinders, Fuel Type	VIN Check Digit (0-9 or X)	Vehicle Model Year	Model Line Plant of Manufacture	Model	Numerical Sequence Vehicle Identifier				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

S	A	J	?	?	?	?	?	?	D	?	?	?	?	?	?	?
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Sequential Vehicle Identifier  
00001 thru 99999

Model  
R =  
S = XF  
T =

Model Line	Assembly Plant
3.0L S/C	Castle Bromwich, UK
5.0L S/C	Castle Bromwich, UK
2.0L GTDi	Castle Bromwich, UK

Model Year  
D = 2013

Check Digit (Per Part 565.6(c))

		Displacement (L) / Cyl	Fuel
7	=	3.0L S/C ULEV	V-6 Gasoline
C	=	5.0L S/C ULEV (510 HP)	V-8 Gasoline
E	=	5.0L S/C ULEV (470 HP)	V-8 Gasoline
F	=	3.0L S/C ULEV	V-6 Gasoline
H	=	5.0L S/C ULEV (510 HP)	V-8 FFV
P	=	5.0L S/C ULEV (470 HP)	V-8 FFV
S	=	2.0L GTDi	I-4 Gasoline

	Make	Line and Body
0E	Jaguar	XF Sedan
0H	Jaguar	XF Supercharged Sedan
0J	Jaguar	XFR Sedan
8J	Jaguar	XFR Sedan+Speed Pack

Transmission	Drive
A = Automatic	Rear Wheel Drive
J = Automatic	All Wheel Drive

Restraint Description & Market	
W =	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd row) - US Market
X =	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd row) - Canadian Market

Manufacturer	Type
SAJ = Jaguar Land Rover Limited, UK	Passenger Car

# 2013 Jaguar XJ

World Manufacturer Identifier (WMI)			Restraint Description Market	Transmission / Drive	Make, Car Line, Body Type	Engine Displacement, Cylinders, Fuel Type	VIN Check Digit (0-9 or X)	Vehicle Model Year	Model Line Plant of Manufacture	Model	Numerical Sequence Vehicle Identifier					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

S	A	J	?	A	?	?	?	?	D	?	?	?	?	?	?	?
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Sequential Vehicle Identifier

00001 thru 99999

Model

V =  
W =  
Y =

XJ

Model Line

Assembly Plant

8	=	3.0L S/C	Castle Bromwich, UK
L	=	5.0L	Castle Bromwich, UK
M	=	5.0L S/C	Castle Bromwich, UK

Model Year

2013

Check Digit (Per Part 565.6(c))

		Displacement (L) / Cyl	Fuel
1	=	5.0L ULEV	V-8
7	=	3.0L S/C ULEV	V-6
B	=	5.0L ULEV	V-8
C	=	5.0L S/C ULEV (510 HP)	V-8
D	=	3.0L S/C ULEV	V-6
E	=	5.0L S/C ULEV (470 HP)	V-8
T	=	5.0L S/C ULEV (470 HP)	V-8
W	=	5.0L S/C ULEV (510 HP)	V-8

	Make	Line and Body
1C	Jaguar	XJ Sedan
1G	Jaguar	XJ Supercharged Sedan
1J	Jaguar	XJ Supersport Sedan
2G	Jaguar	XJL Portfolio (Digit 8 'B' or 'D') / XJL Supercharged (Digit 8 'E') Sedan
2J	Jaguar	XJL Supersport Sedan
2K	Jaguar	XJL Ultimate Sedan
3F	Jaguar	XJ Supersport + Speedpack Sedan
3G	Jaguar	XJL Supersport + Speedpack Sedan
3H	Jaguar	XJ Supercharged + Speedpack Sedan
3K	Jaguar	XJL Supercharged + Speedpack Sedan

Transmission	Drive
A	Automatic
J	Automatic
	Rear Wheel Drive
	All Wheel Drive

Passenger Car Restraint System

W	=	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd row) - US Market
X	=	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd row) - Canadian Market

Manufacturer	Type
SAJ	Jaguar Land Rover Limited, UK
	Passenger Car

# 2013 Jaguar XK

World Manufacturer Identifier (VMI)			Restraint Description Market	Transmission / Drive	Make, Car Line, Body Type		Engine Displacement, Cylinders, Fuel Type	VIN Check Digit (0-9 or X)	Vehicle Model Year	Model Line Plant of Manufacture	Model	Numerical Sequence Vehicle Identifier				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

S	A	J	?	A	4	?	?	?	D	?	B	?	?	?	?	?
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Sequential Vehicle Identifier

00001 thru 99999

Model

XK

B

Model Line

Assembly Plant

5.0L

Castle Bromwich, UK

M

5.0L S/C

Castle Bromwich, UK

Model Year

2013

D

Check Digit (Per Part 565.6(c))

Displacement (L) / Cyl

Fuel

A

5.0L S/C ULEV (550 HP)

V-8

Gasoline

B

5.0L ULEV

V-8

Gasoline

C

5.0L S/C ULEV (510 HP)

V-8

Gasoline

Make

Line and Body

D

=

Jaguar

XK Touring (Digit 8 'B') / XKR (Digit 8 'C') Coupe

E

=

Jaguar

XK Touring (Digit 8 'B') / XKR (Digit 8 'C') Convertible

F

=

Jaguar

XK (Digit 8 'B') / XKR + Dynamic Pack (Digit 8 'C') Coupe

G

=

Jaguar

XK (Digit 8 'B') / XKR + Dynamic Pack (Digit 8 'C') Convertible

H

=

Jaguar

XKR-S Coupe

J

=

Jaguar

XKR-S Convertible

Transmission

Drive

A

=

Automatic

Rear Wheel Drive

Passenger Car Restraint System

W

=

Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st row) - US Market

X

=

Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st row) - Canadian Market

Manufacturer

Type

SAJ

=

Jaguar Land Rover Limited, UK

Passenger Car

# 2013 Land Rover Range Rover

World Manufacturer Identifier (WMI)			Make, Line, Model, GVWR, Restraints		Body Type	Engine Type - Displacement, Cylinders	Transmission Type	VIN Check Digit (0-9 or X)	Vehicle Model Year	Plant of Manufacture	Numerical Sequence Vehicle Identifier					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

S	A	L	G	?	2	?	F	?	D	A	?	?	?	?	?	?
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Sequential Vehicle Identifier

100001 thru 999999

Vehicle Assembly Plant

Solihull, England

Model Year

2013

Check Digit (Per Part 565.6(c))

Transmission Type

8 Speed Automatic

Displacement (L) / Cyl

Fuel

C	=	5.0L Naturally Aspirated	V-8	Flex Fuel
D	=	5.0L Naturally Aspirated	V-8	Gasoline
E	=	5.0L Supercharged	V-8	Gasoline
T	=	5.0L Supercharged	V-8	Flex Fuel

Body Type

4 - Door

Make	Line	Trim Level	GVWR		Restraint Description
			Class	Range	
R	Land Rover	Range Rover Base	E	6,001 - 7,000 lbs	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd row)
S	Land Rover	Range Rover HSE (Digit 7 'D') / Supercharged (Digit 7 'E')	E	6,001 - 7,000 lbs	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd row)
V	Land Rover	Range Rover Autobiography	E	6,001 - 7,000 lbs	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd row)

SAL

=

Manufacturer	Type
Jaguar Land Rover Limited, UK	Multipurpose Passenger Vehicle

# 2013 Land Rover Range Rover Sport

World Manufacturer Identifier (WMI)			Make, Line, Model, GVWR, Restraints		Body Type	Engine Type - Displacement, Cylinders	Transmission Type	VIN Check Digit (0-9 or X)	Vehicle Model Year	Plant of Manufacture	Numerical Sequence Vehicle Identifier					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

S	A	L	S	?	2	?	4	?	D	A	?	?	?	?	?	?
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Sequential Vehicle Identifier

100001 thru 999999

Vehicle Assembly Plant

Solihull, England

A

Model Year

2013

D

Check Digit (Per Part 565.6(c))

Transmission Type

6 Speed Automatic

4

Displacement (L) / Cyl

Fuel

D

=

5.0L Naturally Aspirated

V-8

Gasoline

E

=

5.0L Supercharged

V-8

Gasoline

Body Type

4 - Door

2

Make	Line	Trim Level	GVWR		Restraint Description
			Class	Range	
F	Land Rover	Range Rover Sport	HSE	E	6,001 - 7,000 lbs
H	Land Rover	Range Rover Sport	Super-charged	E	6,001 - 7,000 lbs
K	Land Rover	Range Rover Sport	HSE LUX	E	6,001 - 7,000 lbs
P	Land Rover	Range Rover Sport	Auto-biography	E	6,001 - 7,000 lbs

SAL

=

Manufacturer	Type
Jaguar Land Rover Limited, UK	Multipurpose Passenger Vehicle

# 2013 Land Rover Range Rover Evoque

World Manufacturer Identifier (WMI)			Make, Line, Model, GVWR, Restraints		Body Type	Transmission & Steering	Engine	VIN Check Digit (0-9 or X)	Vehicle Model Year	Plant of Manufacture	Numerical Sequence Vehicle Identifier					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

S	A	L	V	?	?	B	G	?	D	H	?	?	?	?	?	?
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Sequential Vehicle Identifier

000001 thru 999999

Vehicle Assembly Plant

Halewood, England

H

Model Year

2013

D

Check Digit (Per Part 565.6(c))

G

Displacement (L) / Cyl	Fuel
2.0L Turbo	I-4 Gasoline

Transmission Type

LHD / 6 Speed Automatic

B

Body Type

1

=

3 - Door

2

=

5 - Door

N =

P =

R =

S =

T =

U =

V =

	Make	Line	Trim Level	GVWR		Restraint Description
				Class	Range	
N	Land Rover	Range Rover Evoque	Pure	D	5,001 - 6,000 lbs	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd row) and driver knee air bag
P	Land Rover	Range Rover Evoque	Pure Plus	D	5,001 - 6,000 lbs	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd row) and driver knee air bag
R	Land Rover	Range Rover Evoque	Pure Premium	D	5,001 - 6,000 lbs	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd row) and driver knee air bag
S	Land Rover	Range Rover Evoque	Dynamic	D	5,001 - 6,000 lbs	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd row) and driver knee air bag
T	Land Rover	Range Rover Evoque	Dynamic Premium	D	5,001 - 6,000 lbs	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd row) and driver knee air bag
U	Land Rover	Range Rover Evoque	Prestige	D	5,001 - 6,000 lbs	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd row) and driver knee air bag
V	Land Rover	Range Rover Evoque	Prestige Premium	D	5,001 - 6,000 lbs	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd row) and driver knee air bag

SAL =


Manufacturer	Type
Jaguar Land Rover Limited, UK	Multipurpose Passenger Vehicle



# 2013 Land Rover LR2

World Manufacturer Identifier (WMI)			Make, Line, Model, GVWR, Restraints		Body Type	Transmission & Steering	Engine	VIN Check Digit (0-9 or X)	Vehicle Model Year	Plant of Manufacture	Numerical Sequence Vehicle Identifier					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

S	A	L	F	?	2	B	G	?	D	H	?	?	?	?	?	?
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---




		Make	Line	Trim Level	GVWR		Restraint
					Class	Range	Description
P R T	=	Land Rover	LR2	Base	D	5,001 - 6,000 lbs	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd row) and driver knee air bag
	=	Land Rover	LR2	HSE	D	5,001 - 6,000 lbs	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd row) and driver knee air bag
	=	Land Rover	LR2	HSE LUX	D	5,001 - 6,000 lbs	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd row) and driver knee air bag

SAL	=	Manufacturer		Type
		Jaguar Land Rover Limited, UK		Multipurpose Passenger Vehicle

# 2013 Land Rover LR4

World Manufacturer Identifier (WMI)			Make, Line, Model, GVWR, Restraints		Body Type	Engine Type - Displacement, Cylinders	Transmission Type	VIN Check Digit (0-9 or X)	Vehicle Model Year	Plant of Manufacture	Numerical Sequence Vehicle Identifier					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

S	A	L	A	?	2	D	4	?	D	A	?	?	?	?	?	?
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---



					GVWR		Restraint Description
					Class	Range	
B	=	Land Rover	LR4	Base (5 seat)	F	7,001 - 8,000 lbs.	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd row)
C	=	Land Rover	LR4	Base (7 seat)	F	7,001 - 8,000 lbs.	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd & 3rd row)
F	=	Land Rover	LR4	HSE (5 seat)	F	7,001 - 8,000 lbs.	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd row)
G	=	Land Rover	LR4	HSE (7 seat)	F	7,001 - 8,000 lbs.	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd & 3rd row)
K	=	Land Rover	LR4	HSE LUX (7 seat)	F	7,001 - 8,000 lbs.	Manual belts with driver and passenger frontal air bags and side inflatable restraint (1st & 2nd & 3rd row)

Note: HSE 5 Seat is Canada Only trim

SAL	=	Manufacturer		Type
		Jaguar Land Rover Limited, UK		Multipurpose Passenger Vehicle